

Amendments to the Claims:

This listing of claims replaces all prior versions and listings of claims in the application:

Listing of Claims:

1. (original) A method for designing a spectacle lens, comprising the steps of a.) providing a first lens having a first design; b.) identifying at least one point of regard for the first lens; c.) obtaining information regarding the lens' performance using the at least one point of regard; and d.) modifying the first design using the information obtained in step c.) to provide a second lens having a second design.
2. (currently amended) The ~~lens~~ method of claim 1, wherein the second lens is a single vision lens.
3. (currently amended) The ~~lens~~ method of claim 1, wherein the second lens is a progressive addition lens.
4. (currently amended) The ~~lens~~ method of claim 3 [[4]], wherein a front and a back surface of the second lens is a progressive addition surface.
5. (original) The method of claim 1, wherein step b.) further comprises identifying a plurality of PORs while an object is viewed by an individual at at least two different distances.
6. (original) The method of claim 5, wherein the object is viewed at a distant, a near, and an intermediate location.

7. (currently amended) The ~~lens~~ method of claim 1, ~~whereon~~ wherein step b.) further comprises identifying an average location for a population for the at least one POR.

8. (original) The method of claim 1, wherein step d.) further comprises modifying one or more of a width of a viewing zone, a near vision zone inset angle, a channel length, channel location, a channel location, a distribution of unwanted astigmatism, an axis of unwanted astigmatism, a prism profile, a binocular design feature, an asphericity, or an aberration correction.

9. (original) A lens designed according to the method of claim 1.

10. (currently amended) ~~A method designed according to the method of claim 3~~ The lens of claim 9, wherein the lens is a progressive addition lens.

11. (currently amended) ~~A lens designed according to the method of claim 4.~~ The lens of claim 10, wherein a front and a back surface of the lens is a progressive addition surface.

12. (original) An apparatus for measuring head and eye movement, comprising a head movement sensor, a scene camera, an eye camera, a scene monitor, an eye monitor, an infrared light source and a beam splitter capable of transmitting visible light and reflecting infrared light.

13. (original) The apparatus of claim 12, further comprising a spectacle lens and an occluder located at an optical center of the lens.

14. (original) The apparatus of claim 12, further comprising a spectacle lens and an occluder located at a prism reference point of the lens.

15. (new) The method of claim 1, wherein the at least one point of regard includes a point of regard off a central axis of the first lens.

16. (new) The method of claim 1, wherein the at least one point of regard includes multiple points of regard.